



PROPOSED RATES EFFECTIVE FEBRUARY 1, 2023

The rates below reflect Clean Energy Alliance’s (CEA) generation rate, and do not include San Diego Gas & Electric (SDG&E) delivery charge, General Municipal Surcharge (GMS), or the Power Charge Indifference Adjustment (Exit Fees) on SDG&E’s CCA-CRS rate tariff. Information for these charges can be found at www.sdge.com.

SDG&E to CEA Rate Mapping

The table below maps SDG&E rates to CEA rates

SDG&E RATE	CEA RATE
COMMERCIAL/INDUSTRIAL	
TOU-A	TOU-A-S
TOU-A	TOU-A-P
TOU-A-LI, TOU-A-2-LI, TOU-M-LI	E-LI-TOU
AL-TOU-LI, DG-R-LI	E-LI-NR
TOU-A-2 – Secondary	TOU-A-2-S
TOU-A-2 – Primary	TOU-A-2-P
TOU-A-3 – Secondary	TOU-A-3-S
TOU-A-3 -Primary	TOU-A-3-P
TOU-M	TOU-M
A-TC	A-TC
OL-TOU	OL-TOU
AL-TOU – Secondary	AL-TOU-S
AL-TOU – Primary	AL-TOU-P
AL-TOU - Transmission	AL-TOU-T
AL-TOU-2 - Secondary	AL-TOU-2-S
AL-TOU-2 - Primary	AL-TOU-2-P
AL-TOU-2 - Transmission	AL-TOU-2-T
DG-R – Secondary	DG-R-S
DG-R – Primary	DG-R-P
DG-T - Transmission	DG-R-T
A6-TOU – Primary	A6-TOU-P
A6-TOU - Transmission	A6-TOU-T
TOU-M (Grandfathered)	G-TOU-M
OL-TOU (Grandfathered)	G-OL-TOU
TOU-A (Grandfathered) – Secondary	G-TOU-A-S
TOU-A (Grandfathered) – Primary	G-TOU-A-P
AL-TOU (Grandfathered) – Secondary	G-AL-TOU-S
AL-TOU (Grandfathered) – Primary	G-AL-TOU-P
AL-TOU (Grandfathered) – Transmission	G-AL-TOU-T
DG-R (Grandfathered) – Secondary	G-DG-R-S

SDG&E RATE	CEA RATE
DG-R (Grandfathered) – Primary	G-DG-R-P
DG-R (Grandfathered) – Transmission	G-DG-R-T
A6-TOU (Grandfathered) – Primary	G-A6-TOU-P
A6-TOU (Grandfathered) – Transmission	G-A6-TOU-T
PUMPING/AGRICULTURE	
TOU-PA<20kW – Secondary	TOU-PA-S
TOU-PA<20kW – Primary	TOU-PA-P
TOU-PA-2>=20kW – Secondary	TOU-PA-2-S
TOU-PA-2>=20kW – Primary	TOU-PA-2-P
TOU-PA-3<20kW – Secondary	TOU-PA-3-S<20kW
TOU-PA-3<20kW – Primary	TOU-PA-3-P<20kW
TOU-PA-3>=20kW – Secondary	TOU-PA-3-S>=20kW
TOU-PA-3>=20kW – Primary	TOU-PA-3-P>=20kW
PA-T-1 – Secondary	PA-T-1-S
PA-T-1 – Primary	PA-T-1-P
PA-T-1 - Transmission	PA-T-1-T
PA-T-1 (Grandfathered) – Secondary	G-PA-T-1-S
PA-T-1 (Grandfathered) – Primary	G-PA-T-1-P
PA-T-1 (Grandfathered) – Transmission	G-PA-T-1-T
TOU-PA<20kW (Grandfathered) – Secondary	G-TOU-PA-S
TOU-PA<20kW (Grandfathered) – Primary	G-TOU-PA-P
TOU-PA>=20kW (Grandfathered) – Secondary	G-TOU-PA-2-S
TOU-PA>=20kW (Grandfathered) – Primary	G-TOU-PA-2-P
LIGHTING	
LS-1, LS-2, LS-3, OL-1, DWL and LS-2 DS	LS
OL-2	OL-2
OL-TOU	OL-TOU
LS-2 AD	LS-2-AD

TIME-OF-USE PERIODS

Weekdays	Summer June 1 – October 31	Winter November 1 – May 31
On-Peak	4pm – 9pm	4pm – 9pm
Off-Peak	6am – 4pm; 9pm – midnight	6am – 4pm Excluding 10am-2pm in March & April; 9pm – midnight
Super Off-Peak	Midnight – 6am	Midnight- 6am 10am – 2pm in March & April

Weekends	Summer June 1 – October 31	Winter November 1 – May 31
On-Peak	4pm – 9pm	4pm – 9pm
Off-Peak	2pm – 4pm; 9pm – midnight	2pm – 4pm 9pm – midnight
Super Off-Peak	Midnight – 2pm	Midnight- 2pm

GRANDFATHERED TIME-OF-USE PERIODS

	Summer June 1 – October 31	Winter November 1 – May 31
On-Peak	11am-6pm Monday through Friday, excluding Holidays	N/A
Semi-Peak	6am-11am and 6pm- 10pm Monday through Friday, excluding Holidays	6am-6pm weekdays, and all hours on weekends and Holidays
Off-Peak	10pm-6am weekdays, and all hours weekends and Holidays	6pm-6am weekdays, and all hours on weekends and Holidays

CLEAN ENERGY ALLIANCE PROPOSED RATES

CEA RATE	TIME-OF-USE PERIOD	SUMMER RATE	WINTER
		June 1 – October 31 Per kWh	November 1 – May 31 Per kWh
COMMERCIAL/INDUSTRIAL			
TOU-A-S	On-Peak	\$ 0.32490	\$ 0.16285
TOU-A-S	Off-Peak	\$ 0.15199	\$ 0.05910
TOU-A-P	On-Peak	\$ 0.32304	\$ 0.16185
TOU-A-P	Off-Peak	\$ 0.15099	\$ 0.05869
TOU-A-2-S	On-Peak	\$ 0.44129	\$ 0.14967
TOU-A-2-S	Off-Peak	\$ 0.12498	\$ 0.06531
TOU-A-2-S	Super Off-Peak	\$ 0.05015	\$ 0.03957
TOU-A-2-P	On-Peak	\$ 0.43892	\$ 0.14877
TOU-A-2-P	Off-Peak	\$ 0.12419	\$ 0.06484
TOU-A-2-P	Super Off-Peak	\$ 0.00000	\$ 0.03928
TOU-A-3-S	On-Peak	\$ 0.32123	\$ 0.14967
TOU-A-3-S	Off-Peak	\$ 0.17895	\$ 0.06531
TOU-A-3-S	Super Off-Peak	\$ 0.05144	\$ 0.03957
TOU-A-3-P	On-Peak	\$ 0.31944	\$ 0.14877
TOU-A-3-P	Off-Peak	\$ 0.17786	\$ 0.06484
TOU-A-3-P	Super Off-Peak	\$ 0.05097	\$ 0.03928
A-TC	Total	\$ 0.07159	\$ 0.07159
TOU-M	On-Peak	\$ 0.45424	\$ 0.14922
TOU-M	Off-Peak	\$ 0.12567	\$ 0.06490
TOU-M	Super Off-Peak	\$ 0.05233	\$ 0.03923
AL-TOU-S DEMAND	On-Peak	\$ 19.23	\$ 0.00000
AL-TOU-S	On-Peak	\$ 0.21688	\$ 0.22861
AL-TOU-S	Off-Peak	\$ 0.11360	\$ 0.10411
AL-TOU-S	Super Off-Peak	\$ 0.08021	\$ 0.06797
AL-TOU-P DEMAND	On-Peak	\$ 19.14	\$ 0.00000
AL-TOU-P	On-Peak	\$ 0.21556	\$ 0.22731
AL-TOU-P	Off-Peak	\$ 0.11283	\$ 0.10345
AL-TOU-P	Super Off-Peak	\$ 0.07975	\$ 0.06756
AL-TOU-T DEMAND	On-Peak	\$ 18.32	\$ 0.00000
AL-TOU-T	On-Peak	\$ 0.20394	\$ 0.21542
AL-TOU-T	Off-Peak	\$ 0.10568	\$ 0.09694
AL-TOU-T	Super Off-Peak	\$ 0.07432	\$ 0.06263
AL-TOU-2-S DEMAND	On-Peak	\$ 33.29	\$ 0.00000
AL-TOU-2-S	On-Peak	\$ 0.19293	\$ 0.20185

CEA RATE	TIME-OF-USE PERIOD	SUMMER RATE	WINTER
		June 1 – October 31 Per kWh	November 1 – May 31 Per kWh
AL-TOU-2-S	Off-Peak	\$ 0.09927	\$ 0.08910
AL-TOU-2-S	Super Off-Peak	\$ 0.06746	\$ 0.05637
AL-TOU-2-P DEMAND	On-Peak	\$ 33.12	\$ 0.00000
AL-TOU-2-P	On-Peak	\$ 0.19173	\$ 0.20068
AL-TOU-2-P	Off-Peak	\$ 0.09855	\$ 0.08850
AL-TOU-2-P	Super Off-Peak	\$ 0.06704	\$ 0.05601
AL-TOU-2-T DEMAND	On-Peak	\$ 31.70	\$ 0.00000
AL-TOU-2-T	On-Peak	\$ 0.18113	\$ 0.18990
AL-TOU-2-T	Off-Peak	\$ 0.09203	\$ 0.08261
AL-TOU-2-T	Super Off-Peak	\$ 0.06213	\$ 0.05154
DG-R-S	On-Peak	\$ 0.58423	\$ 0.16319
DG-R-S	Off-Peak	\$ 0.17408	\$ 0.06742
DG-R-S	Super Off-Peak	\$ 0.04909	\$ 0.03963
DG-R-P	On-Peak	\$ 0.58130	\$ 0.16219
DG-R-P	Off-Peak	\$ 0.17306	\$ 0.06692
DG-R-P	Super Off-Peak	\$ 0.04874	\$ 0.03932
DG-R-T	On-Peak	\$ 0.55540	\$ 0.15304
DG-R-T	Off-Peak	\$ 0.16374	\$ 0.06192
DG-R-T	Super Off-Peak	\$ 0.04456	\$ 0.03552
A6-TOU-P DEMAND	Total	\$ 19.14	\$ 0.00000
A6-TOU-P	On-Peak	\$ 0.21556	\$ 0.22731
A6-TOU-P	Off-Peak	\$ 0.11283	\$ 0.10345
A6-TOU-P	Super Off-Peak	\$ 0.07975	\$ 0.06756
A6-TOU-T DEMAND	Total	\$ 18.32	\$ 0.00000
A6-TOU-T	On-Peak	\$ 0.20394	\$ 0.21542
A6-TOU-T	Off-Peak	\$ 0.10568	\$ 0.09694
A6-TOU-T	Super Off-Peak	\$ 0.07432	\$ 0.06263
G-TOU-M (Grandfathered)	On-Peak	\$ 0.20651	\$ 0.19654
G-TOU-M (Grandfathered)	Semi-Peak	\$ 0.19054	\$ 0.06981
G-TOU-M (Grandfathered)	Off-Peak	\$ 0.18852	\$ 0.06818
G-TOU-A-S (Grandfathered)	On-Peak	\$ 0.37011	\$ 0.19256
G-TOU-A-S (Grandfathered)	Semi-Peak	\$ 0.19274	\$ 0.06808
G-TOU-A-S (Grandfathered)	Off-Peak	\$ 0.06416	\$ 0.06641
G-TOU-A-P (Grandfathered)	On-Peak	\$ 0.36791	\$ 0.19140
G-TOU-A-P (Grandfathered)	Semi-Peak	\$ 0.19148	\$ 0.06757
G-TOU-A-P (Grandfathered)	Off-Peak	\$ 0.06359	\$ 0.06591
G-AL-TOU-S DEMAND (Grandfathered)	On-Peak	\$ 3.44	\$ 0.00000
G-AL-TOU-S (Grandfathered)	On-Peak	\$ 0.10456	\$ 0.37265
G-AL-TOU-S (Grandfathered)	Semi-Peak	\$ 0.10275	\$ 0.14555
G-AL-TOU-S (Grandfathered)	Off-Peak	\$ 0.08286	\$ 0.14552

CEA RATE	TIME-OF-USE PERIOD	SUMMER RATE	WINTER
		June 1 – October 31 Per kWh	November 1 – May 31 Per kWh
G-AL-TOU-P (Grandfathered) DEMAND	On-Peak	\$ 3.42	\$ 0.00000
G-AL-TOU-P (Grandfathered)	On-Peak	\$ 0.10373	\$ 0.37059
G-AL-TOU-P (Grandfathered)	Semi-Peak	\$ 0.10193	\$ 0.14467
G-AL-TOU-P (Grandfathered)	Off-Peak	\$ 0.08213	\$ 0.14463
G-AL-TOU-T DEMAND (Grandfathered)	On-Peak	\$ 3.27	\$ 0.00000
G-AL-TOU-T (Grandfathered)	On-Peak	\$ 0.09670	\$ 0.35235
G-AL-TOU-T (Grandfathered)	Semi-Peak	\$ 0.09502	\$ 0.13636
G-AL-TOU-T (Grandfathered)	Off-Peak	\$ 0.07605	\$ 0.13633
G-DG-R-S (Grandfathered)	On-Peak	\$ 0.17267	\$ 0.33174
G-DG-R-S (Grandfathered)	Semi-Peak	\$ 0.14243	\$ 0.12638
G-DG-R-S (Grandfathered)	Off-Peak	\$ 0.11206	\$ 0.12634
G-DG-R-P (Grandfathered)	On-Peak	\$ 0.17168	\$ 0.32987
G-DG-R-P (Grandfathered)	Semi-Peak	\$ 0.14146	\$ 0.12558
G-DG-R-P (Grandfathered)	Off-Peak	\$ 0.11119	\$ 0.12554
G-DG-R-T (Grandfathered)	On-Peak	\$ 0.16337	\$ 0.31338
G-DG-R-T (Grandfathered)	Semi-Peak	\$ 0.13325	\$ 0.11807
G-DG-R-T (Grandfathered)	Off-Peak	\$ 0.10381	\$ 0.11803
G-A6-TOU-P DEMAND (Grandfathered)	Total	\$ 3.42	\$ 0.00000
G-A6-TOU-P (Grandfathered)	On-Peak	\$ 0.10373	\$ 0.37059
G-A6-TOU-P (Grandfathered)	Semi-Peak	\$ 0.10193	\$ 0.14467
G-A6-TOU-P (Grandfathered)	Off-Peak	\$ 0.08213	\$ 0.14463
G-A6-TOU-T DEMAND (Grandfathered)	Total	\$ 3.27	\$ 0.00000
G-A6-TOU-T (Grandfathered)	On-Peak	\$ 0.09670	\$ 0.35235
G-A6-TOU-T (Grandfathered)	Semi-Peak	\$ 0.09502	\$ 0.13636
G-A6-TOU-T (Grandfathered)	Off-Peak	\$ 0.07605	\$ 0.13633
PUMPING & AGRICULTURE			
TOU-PA-S	On-Peak	\$ 0.32569	\$ 0.14858
TOU-PA-S	Off-Peak	\$ 0.16110	\$ 0.05105
TOU-PA-P	On-Peak	\$ 0.32386	\$ 0.14768
TOU-PA-P	Off-Peak	\$ 0.16008	\$ 0.05070

CEA RATE	TIME-OF-USE PERIOD	SUMMER RATE	WINTER
		June 1 – October 31 Per kWh	November 1 – May 31 Per kWh
TOU-PA-2-S DEMAND	On-Peak	\$ 17.05	\$ 0.00000
TOU-PA-2-S	On-Peak	\$ 0.19983	\$ 0.17400
TOU-PA-2-S	Off-Peak	\$ 0.11179	\$ 0.07926
TOU-PA-2-S	Super Off-Peak	\$ 0.06116	\$ 0.05173
TOU-PA-2-P DEMAND	On-Peak	\$ 16.98	\$ 0.00000
TOU-PA-2-P	On-Peak	\$ 0.19890	\$ 0.17302
TOU-PA-2-P	Off-Peak	\$ 0.11125	\$ 0.07875
TOU-PA-2-P	Super Off-Peak	\$ 0.06081	\$ 0.05142
TOU-PA-3-S <20kW	On-Peak	\$ 0.38023	\$ 0.13508
TOU-PA-3-S <20kW	Off-Peak	\$ 0.18664	\$ 0.05742
TOU-PA-3-S <20kW	Super Off-Peak	\$ 0.06712	\$ 0.03486
TOU-PA-3-P <20kW	On-Peak	\$ 0.37819	\$ 0.13428
TOU-PA-3-P <20kW	Off-Peak	\$ 0.18554	\$ 0.05701
TOU-PA-3-P <20kW	Super Off-Peak	\$ 0.06660	\$ 0.03460
TOU-PA-3-S >=20kW DEMAND	On-Peak	\$ 5.46	\$ 0.00000
TOU-PA-3-S >=20kW	On-Peak	\$ 0.38763	\$ 0.12704
TOU-PA-3-S >=20kW	Off-Peak	\$ 0.19582	\$ 0.05293
TOU-PA-3-S >=20kW	Super Off-Peak	\$ 0.05658	\$ 0.03138
TOU-PA-3-P >=20kW DEMAND	On-Peak	\$ 5.44	\$ 0.00000
TOU-PA-3-P >=20kW	On-Peak	\$ 0.38579	\$ 0.12623
TOU-PA-3-P >=20kW	Off-Peak	\$ 0.19486	\$ 0.05246
TOU-PA-3-P >=20kW	Super Off-Peak	\$ 0.05611	\$ 0.03103
PA-T-1-S DEMAND	On-Peak	\$ 9.88	\$ 0.00000
PA-T-1-S	On-Peak	\$ 0.19309	\$ 0.18864
PA-T-1-S	Off-Peak	\$ 0.10886	\$ 0.08747
PA-T-1-S	Super Off-Peak	\$ 0.06803	\$ 0.05807
PA-T-1-P DEMAND	On-Peak	\$ 9.84	\$ 0.00000
PA-T-1-P	On-Peak	\$ 0.19195	\$ 0.18758
PA-T-1-P	Off-Peak	\$ 0.10816	\$ 0.08694
PA-T-1-P	Super Off-Peak	\$ 0.06766	\$ 0.05774
PA-T-1-T DEMAND	On-Peak	\$ 9.42	\$ 0.00000
PA-T-1-T	On-Peak	\$ 0.18189	\$ 0.17791
PA-T-1-T	Off-Peak	\$ 0.10179	\$ 0.08165
PA-T-1-T	Super Off-Peak	\$ 0.06324	\$ 0.05373
G-PA-T-1-S DEMAND (Grandfathered)	On-Peak	\$ 2.76	\$ 0.00000
G-PA-T-1-S (Grandfathered)	On-Peak	\$ 0.09745	\$ 0.24683
G-PA-T-1-S (Grandfathered)	Semi-Peak	\$ 0.09522	\$ 0.09359
G-PA-T-1-S (Grandfathered)	Off-Peak	\$ 0.05669	\$ 0.09350

CEA RATE	TIME-OF-USE PERIOD	SUMMER RATE	WINTER
		June 1 – October 31 Per kWh	November 1 – May 31 Per kWh
G-PA-T-1-P DEMAND (Grandfathered)	On-Peak	\$ 2.74	\$ 0.00000
G-PA-T-1-P (Grandfathered)	On-Peak	\$ 0.09131	\$ 0.24543
G-PA-T-1-P (Grandfathered)	Semi-Peak	\$ 0.08910	\$ 0.09300
G-PA-T-1-P (Grandfathered)	Off-Peak	\$ 0.05076	\$ 0.09291
G-PA-T-1-T DEMAND (Grandfathered)	On-Peak	\$ 2.63	\$ 0.00000
G-PA-T-1-T (Grandfathered)	On-Peak	\$ 0.09058	\$ 0.24378
G-PA-T-1-T (Grandfathered)	Semi-Peak	\$ 0.08854	\$ 0.09227
G-PA-T-1-T (Grandfathered)	Off-Peak	\$ 0.05182	\$ 0.09218
G-TOU-PA-S (Grandfathered)	On-Peak	\$ 0.36773	\$ 0.13743
G-TOU-PA-S (Grandfathered)	Semi-Peak	\$ 0.14185	\$ 0.04227
G-TOU-PA-S (Grandfathered)	Off-Peak	\$ 0.06391	\$ 0.04221
G-TOU-PA-P (Grandfathered)	On-Peak	\$ 0.36558	\$ 0.13649
G-TOU-PA-P (Grandfathered)	Semi-Peak	\$ 0.14089	\$ 0.04183
G-TOU-PA-P (Grandfathered)	Off-Peak	\$ 0.06335	\$ 0.04177
G-TOU-PA-2-S DEMAND (Grandfathered)	On-Peak	\$ 3.08	\$ 0.00000
G-TOU-PA-2-S (Grandfathered)	On-Peak	\$ 0.11206	\$ 0.27029
G-TOU-PA-2-S (Grandfathered)	Semi-Peak	\$ 0.10141	\$ 0.10456
G-TOU-PA-2-S (Grandfathered)	Off-Peak	\$ 0.06135	\$ 0.10449
G-TOU-PA-2-P DEMAND (Grandfathered)	On-Peak	\$ 3.07	\$ 0.00000
G-TOU-PA-2-P (Grandfathered)	On-Peak	\$ 0.11150	\$ 0.26879
G-TOU-PA-2-P (Grandfathered)	Semi-Peak	\$ 0.10085	\$ 0.10392
G-TOU-PA-2-P (Grandfathered)	Off-Peak	\$ 0.06097	\$ 0.10385
LIGHTING			
OL-TOU	On-Peak	\$ 0.58733	\$ 0.16316
OL-TOU	Off-Peak	\$ 0.17218	\$ 0.06740
OL-TOU	Super Off-Peak	\$ 0.04903	\$ 0.03962
G-OL-TOU (Grandfathered)	On-Peak	\$ 0.17640	\$ 0.06591
G-OL-TOU (Grandfathered)	Semi-Peak	\$ 0.14016	\$ 0.37265
G-OL-TOU (Grandfathered)	Off-Peak	\$ 0.11200	\$ 0.14555
LS-2-AD	On-Peak	\$ 0.33024	\$ 0.15868

CEA RATE	TIME-OF-USE PERIOD	SUMMER RATE	
		June 1 – October 31 Per kWh	WINTER November 1 – May 31 Per kWh
LS-2-AD	Off-Peak	\$ 0.18796	\$ 0.07432
LS-2-AD	Super Off-Peak	\$ 0.06045	\$ 0.04858
PREMIUM POWER SUPPLY PRODUCTS			
Clean Impact Plus Premium – 75% Carbon Free		\$.00100	\$.00100
Green Impact Premium – 100% Renewable		\$.00750	\$.00750
NET ENERGY METERING			
Personal Impact – Net Surplus Compensation		\$.06	\$.06